



UNITED STATES PATENT AND TRADEMARK OFFICE

CR
UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
09/844,047	04/30/2001	Ronald L. Beale	133/28	2696
7590	01/28/2004		EXAMINER	
Averill & Varn 8244 Painter Ave. Whittier, CA 90602			BREVARD, MAERENA W	
			ART UNIT	PAPER NUMBER
			3727	
			DATE MAILED: 01/28/2004	

Please find below and/or attached an Office communication concerning this application or proceeding.

Office Action Summary	Application No.	Applicant(s)	
	09/844,047	BEALE, RONALD L.	
	Examiner	Art Unit	
	Maerena W. Brevard	3727	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --
Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If the period for reply specified above is less than thirty (30) days, a reply within the statutory minimum of thirty (30) days will be considered timely.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133).
- Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) Responsive to communication(s) filed on 05 January 2004.
- 2a) This action is FINAL. 2b) This action is non-final.
- 3) Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) Claim(s) 1-4, 9-12, 15 and 17 is/are pending in the application.
- 4a) Of the above claim(s) _____ is/are withdrawn from consideration.
- 5) Claim(s) _____ is/are allowed.
- 6) Claim(s) 1-4, 9-12, 15, and 17 is/are rejected.
- 7) Claim(s) _____ is/are objected to.
- 8) Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) The specification is objected to by the Examiner.
- 10) The drawing(s) filed on _____ is/are: a) accepted or b) objected to by the Examiner.
 Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
 Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. §§ 119 and 120

- 12) Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
 a) All b) Some * c) None of:
 1. Certified copies of the priority documents have been received.
 2. Certified copies of the priority documents have been received in Application No. _____.
 3. Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).
- * See the attached detailed Office action for a list of the certified copies not received.
- 13) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. § 119(e) (to a provisional application) since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.
 a) The translation of the foreign language provisional application has been received.
- 14) Acknowledgment is made of a claim for domestic priority under 35 U.S.C. §§ 120 and/or 121 since a specific reference was included in the first sentence of the specification or in an Application Data Sheet. 37 CFR 1.78.

Attachment(s)

- | | |
|--|--|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) Paper No(s). _____ . |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | 5) <input type="checkbox"/> Notice of Informal Patent Application (PTO-152) |
| 3) <input type="checkbox"/> Information Disclosure Statement(s) (PTO-1449) Paper No(s) _____ . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Claim Rejections - 35 USC § 112

1. The following is a quotation of the first paragraph of 35 U.S.C. 112:

The specification shall contain a written description of the invention, and of the manner and process of making and using it, in such full, clear, concise, and exact terms as to enable any person skilled in the art to which it pertains, or with which it is most nearly connected, to make and use the same and shall set forth the best mode contemplated by the inventor of carrying out his invention.

2. Claims 1-4, 9-12, 15, and 17 are rejected under 35 U.S.C. 112, first paragraph, as failing to comply with the written description requirement. The claims contains subject matter which was not described in the specification in such a way as to reasonably convey to one skilled in the relevant art that the inventor, at the time the application was filed, had possession of the claimed invention. The recitation "a gap space containing **no** bladder" in claims 1 and 9 is considered new matter since it was not described in the specification.

The dependent claims not specifically mentioned are rejected as being dependent upon a rejected base claim, since they inherently contain the same deficiencies therein.

Claim Rejections - 35 USC § 103

3. The text of those sections of Title 35, U.S. Code not included in this action can be found in a prior Office action.
4. Claims 1-4 are rejected under 35 U.S.C. 103(a) as being unpatentable over Jaeger in view of Bertholon.

Jaeger discloses a back support apparatus (Figure 3) for use with a backpack, the apparatus comprises a pair of elongated inflatable tubular bladders (18, both outer bladders) spaced generally parallel to each other, separated by a gap space (which includes the middle bladder), and connected to a front panel of the backpack and valve means (19) for deflating the

Art Unit: 3727

bladders, but does not teach a pump means for inflating the tubular bladders. However, Bertholon teaches a pump means (6) for inflating the bladder of inflatable shoulder straps. It would have been obvious to use the pump of Bertholon with the inflatable structure of Jaeger to inflate the bladders. Doing so would provide an attachment that would provide an easier and quicker means of inflating the bladders.

Regarding the tubular bladders each having a circular cross sectional shape and having an upper terminus extending upwardly at least as high as the upper attachment points, it would have been an obvious matter of design choice to change the shape and increase the size of the bladders to have the upper terminus extend at least as high as the upper attachment points, since such a modification would have involved a mere change in the size of a component. A change in size is generally recognized as being within the level of ordinary skill in the art. *In re Rose*, 105 USPQ 237 (CCPA 1955).

Regarding claims 2-4, the two outer bladders are spaced at most two inches from each other and inflated to a diameter no more than two inches, to exert a support force against the user's spinal column from opposite sides thereof, to the same degree claimed.

Allowable Subject Matter

5. Although claims 9-12, 15, and 17 have not been rejected on prior art, the examiner cannot indicate these claims to be allowable until clarification from applicant regarding the 35 USC 112, 1st paragraph rejection, discussed in paragraph 2 above, has been addressed.

Art Unit: 3727

Conclusion

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Maerena W. Brevard whose telephone number is 703/305-0037. The examiner can normally be reached on M-Th; 8:00 AM-6:00PM.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lee W. Young can be reached on 703/308-2572. The fax phone number for the organization where this application or proceeding is assigned is 703/872-9306.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist whose telephone number is 703/305-0037.

MWB
Maerena Brevard
January 22, 2004

*Lee Young
1/22/04*
LEE YOUNG
SUPERVISORY PATENT EXAMINER
TECHNOLOGY CENTER 3700